



- MATERIAL:  
HOUSING - POLYESTER, UL-94-V0, COLOR: BLACK  
TERMINAL - 0.36[.014] THICK PHOS BRONZE PLATED WITH (SEE TABLE) MIN HARD GOLD IN LOCALIZED GOLD PLATE AREA AND 3.81µm[.000150] MIN THICK MATTE TIN IN SOLDER AREA OVER 1.27µm[.000050] MIN THICK NICKEL UNDERPLATE

△ CAVITY CONFORMS TO FCC RULES AND REGULATIONS PART 68 AND REA BULLETIN 345-81 PE 76 SPECIFICATION FOR MODULAR TELEPHONE HARDWARE.

3. DIMENSIONS ARE MAXIMUM UNLESS OTHERWISE SPECIFIED.

△ 0.15µm[.000006] GOLD PLATED PARTS DO NOT MEET THE MINIMUM GOLD THICKNESS REQUIREMENT OF FCC SPECIFICATION, PART 68. PARTS HAVE NOT BEEN TESTED TO THE DURABILITY REQUIREMENTS OF TE CONNECTIVITY PRODUCT SPEC 108-1163



RECOMMENDED PANEL CUTOUT

RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT COMPONENT SIDE

△ 0.15µm[.000006]	2-5520249-2
1.27µm[.000050]	5520249-2
GOLD THICKNESS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN J. ALCORTA - 17JUN2005		STE TE Connectivity	
DIMENSIONS: mm [INCHES]		CHK S. FLICKINGER 17JUN2005		NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. FLICKINGER 17JUN2005		PRODUCT SPEC	
0 PLC ± -		APPLICATION SPEC		108-1163	
1 PLC ± -		DRAWING NO		114-2048	
2 PLC ± -		WEIGHT		A1 00779 5520249	
3 PLC ± 0.13[.005]		CUSTOMER DRAWING		SCALE 5:1 SHEET 1 OF 1 REV D1	
4 PLC ± -					
ANGLES ± -					
MATERIAL SEE NOTE 1		FINISH SEE NOTE 1			