

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: 9310

- Other Means of Identification: One-Part Epoxy General Purpose Adhesive, high Tg
- Related Part Number: 9310, 9310-10ML, 9310-300ML
- UFI: PVN0-V0CM-P00C-4323

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Application of the substance / the mixture Adhesives
- Uses advised against Not for use as a spray coating

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MG Chemicals Ltd. (Head Office)
1210 Corporate Drive
Burlington, Ontario L7L 5R6
CANADA
+(1) 905-331-1396
info@mgchemicals.com

MG Chemicals
Heame House, 23 Bliston Street
Sedgely Dudley DY3 1JA.
United Kingdom
+(44) 1663 362888

MG Chemicalst Ltd.
18-20, Msida Road,
Gzira, GZR 1401
MALTA

- Further information obtainable from: sds@mgchemicals.com

1.4 Emergency telephone number:

3E (Access code: 335388)
+(44) 20 3514787
+(1) 760 476 3961
UK Toll free: +(0) 800 680 0425

Members of the public seeking specific information on poisons should contact:
In England and Wales: NHS 111 - dial 111
In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

- | | |
|-------------------|---|
| Skin Irrit. 2 | H315 Causes skin irritation. |
| Eye Irrit. 2 | H319 Causes serious eye irritation. |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |
| Aquatic Chronic 2 | H411 Toxic to aquatic life with long lasting effects. |

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

— GB —

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 1)

Hazard pictograms



GHS07 GHS09

Signal word Warning

Hazard-determining components of labelling:

propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers
4,4'-isopropylidenediphenol
formaldehyde, oligomeric reaction products with phenol

Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
P261 Avoid breathing fumes and vapors.
P273 Avoid release to the environment.
P280 Wear protective gloves, protective clothing, and eye protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents and container in accordance with local, regional, and national regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

- PBT: Not applicable
- vPvB: Not applicable

· **Determination of endocrine-disrupting properties** Endocrine Disruptor substance $\geq 0.1\%$ = none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

25085-99-8	propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers	77.0%
	⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
68698-70-4	4,4'-isopropylidenediphenol	14.0%
	⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
9003-35-4	formaldehyde, oligomeric reaction products with phenol	4.0%
	⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation:

Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 3)

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 2)

If feeling unwell: Call a POISON CENTRE or doctor.

· **After skin contact:**

Wash with plenty water.

If skin irritation or rash occurs: Get medical advice or attention.

Take off contaminated clothing and wash it before reuse.

· **After eye contact:**

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice or attention.

· **After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

If symptoms persist consult doctor.

· **Information for doctor:** Treat symptomatically

· **4.2 Most important symptoms and effects, both acute and delayed**

See section 11 for additional information.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

* SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· **5.2 Special hazards arising from the substance or mixture**

Not flammable or combustible, but burns if involved in a fire. Produces irritating smoke of unknown toxicity in fires.

Prevent fire-fighting wash from entering waterway or sewer system.

· **Hazardous combustion products:**

ammonia

phenolics

other toxic fumes

Carbon Oxides (COx)

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained breathing apparatus and full fire-fighting turn-out gear.

* SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Avoid breathing the fumes or vapors.

Remove or keep away all sources of extreme heat or open flames.

· **6.2 Environmental precautions:**

Avoid release to the environment.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Collect liquid in a sealable, chemical-resistant container.

Wash residue with a paper towel and place dirty towels in container.

Use soap and water to remove the last traces of residue.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 3)

See Section 13 for disposal information.

* SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Wear protective gloves and eye protection.

Wash hands and exposed skin thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

Collect spillage.

Contaminated work clothing should not be allowed out of the workplace.

· **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Keep in a dry and clean area, away from incompatible substances

DO NOT FREEZE. Store in a clean and dry area between 5 to 35 °C.

· **Information about storage in one common storage facility:** Not required

· **Further information about storage conditions:** Keep container tightly sealed.

· 7.3 Specific end use(s) See section 1.2

* SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information:

The lists valid during the making were used as basis.

Refer to the national or regional occupational exposure limit regulation for abbreviations and acronyms.

· 8.2 Exposure controls

· Appropriate engineering controls

Due to low vapor pressure of the product, general ventilation should be adequate for normal use. If the product is heated at high temperatures or worker is allergic, use local ventilation and consider using a full mask with organic vapor cartridges.

Keep airborne concentrations below exposure limits.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

For over-exposures up to 10 x OEL of mist, vapors, and spray, wear respirator such as a half-mask respirator with organic vapor cartridges.

Above 10 x OEL, use a positive-pressure, air-supplied respirator or a self-contained breathing apparatus.

Advice should be sought from respiratory protection specialists.

(Contd. on page 5)

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 4)

· Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves: EN374

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses or tightly sealed goggles: EN 166

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· Physical state	Liquid
· Form:	Viscous
· Colour:	Amber coloured
· Odour:	Mild
· Odour threshold:	Not determined
· Melting point/freezing point:	Undetermined
· Boiling point or initial boiling point and boiling range	150 °C
· Flammability	Non flammable
· Lower and upper explosion limit	
· Lower:	Not applicable
· Upper:	Not applicable
· Flash point:	250 °C
· Auto-ignition temperature:	Not determined
· Decomposition temperature:	Not determined
· pH	Not determined
· Viscosity:	
· Kinematic viscosity at 20 °C	>20.5 mm ² /s
· Dynamic:	Not determined
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not determined
· Relative density at 25 °C:	1.15
· Vapour density (air=1):	Not determined
· Particle characteristics	Not applicable.

(Contd. on page 6)

—GB—

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 5)

9.2 Other information

- **9.2.1 Information with regard to physical hazard classes** Not applicable
- **9.2.2 Other safety characteristics**
 - **Evaporation rate** Not determined
 - **Ignition temperature:** Product is not selfigniting.
 - **Explosive properties:** Product does not present an explosion hazard.
 - **Solvent content:**
 - **Organic solvents:** Not available
 - **Solids content:** 19.0 %

* SECTION 10: Stability and reactivity

- **10.1 Reactivity** Reacts exothermically with amines.
- **10.2 Chemical stability** Chemically stable at normal temperatures and pressures.
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Will not occur by itself. Masses of more than one pound (0.5 kg) of product plus an aliphatic amine will cause irreversible polymerization with considerable heat buildup.
- **10.4 Conditions to avoid**
Avoid ignition sources, open flames, and incompatible substances.
Do not use in away that forms mist or aerosolizes the product.
- **10.5 Incompatible materials:**
Oxidizing agents
Acids
Bases
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known.
Hazardous combustion products: see section 5.

* SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	3,571 mg/kg
------	------	-------------

25085-99-8 propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers

Dermal	LD50	23,000 mg/kg (rabbit)
--------	------	-----------------------

68698-70-4 4,4'-isopropylidenediphenol

Oral	LD50	500 mg/kg (ATE)
------	------	-----------------

- **Primary irritant effect:**
 - **Skin corrosion/irritation** Causes skin irritation.
 - **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

— GB —

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 6)

- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **Summary of Effects and Symptoms by Routes of Exposure**

- **Eyes:** redness, serious irritation
- **Skin:**
rash, allergic contact dermatitis
redness, irritation
- **Inhalation:**
Low toxicity:
may cause mild respiratory irritation
- **Swallowed:** none known or expected

- **Subacute to chronic toxicity:**

- **Delayed and immediate effects as well as chronic effects from short and long-term exposure**
Prolonged and repeated exposure to uncured epoxy hardener may lead to skin sensitization.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

* SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

Toxic to aquatic life with long lasting effects.
Avoid release to the environment.
Collect spillage.

25085-99-8 propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers

LC50 96h	>1 mg/L (N/Av)
----------	----------------

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable
- **vPvB:** Not applicable

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Remark:** Toxic for fish
- **Additional ecological information:**

- **General notes:**

Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

(Contd. on page 8)

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

Toxic for aquatic organisms

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- **Recommendation** This material and its container must be disposed of as hazardous waste.

· European waste catalogue

HP4	Irritant - skin irritation and eye damage
HP13	Sensitising
HP14	Ecotoxic

· Uncleaned packaging:

· Recommendation:

- Containers may still present a chemical hazard/ danger when empty.
- Dispose of contents in accordance with all local, regional, national, and international regulations.
- Where possible retain label warnings and SDS and observe all notices pertaining to the product.

SECTION 14: Transport information

14.1 UN number or ID number

· ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name

· ADR

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (oxirane,2,2'-[(1-methylethylidene)
bis(4,1-phenyleneoxymethylene)]bis-, homopolymer)

· IMDG

NOT REGULATED by Sea IMDG according to 2.10.2.7
for sizes of 5L or less.

· IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (propane, 2,2-bis[p-(2,3-epoxypropoxy)
phenyl]-, polymers)

NOT REGULATED by Air IATA Special Provision A197
for sizes 5L or less.

Environmentally hazardous substance, liquid, n.o.s.
(propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-,
polymers)

14.3 Transport hazard class(es)

· ADR, IMDG



· Class

9 Miscellaneous dangerous substances and
articles.

· Label

9

(Contd. on page 9)

— GB —

Safety data sheet

according to UK REACH


Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 8)

<p>· IATA</p> 	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
· Marine pollutant:	MARINE POLLUTANT
· Special marking (ADR):	ENVIRONMENTALLY HAZARDOUS
· Special marking (IATA):	ENVIRONMENTALLY HAZARDOUS Symbol (fish and tree)
· 14.6 Special precautions for user	Not applicable
· Hazard identification number (Kemler code):	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OXIRANE,2,2'-[(1-METHYLETHYLIDENE)BIS(4,1-PHENYLENEOXYMETHYLENE)]BIS-, HOMOPOLYMER), 9, III

—GB—

(Contd. on page 10)

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 9)

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

- **Regulated explosives precursors (Part 1)**

None of the ingredients is listed.

- **Regulated poisons (Part 2)**

None of the ingredients is listed.

- **Reportable explosives precursors (Part 3)**

None of the ingredients is listed.

- **Reportable poisons (Part 4)**

None of the ingredients is listed.

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E2** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H411 Toxic to aquatic life with long lasting effects.

- **Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation
 Serious eye damage/irritation
 Skin sensitisation
 Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 11)

Safety data sheet

according to UK REACH

Printing date 19.03.2026

Version number 6.03 (replaces version 5.02)

Revision: 27.11.2024

Trade name: 9310

(Contd. of page 10)

- **Department issuing SDS:** Regulatory department

- **Contact:** sds@mgchemicals.com

- **Date of previous version:** 26.09.2024

- **Version number of previous version:** 5.02

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

- *** Data compared to the previous version altered.**

GB
